


PERFORMANCE CURVE (PTFE)

DISCHARGE FLOW-Liters/Min.

0 76 152 228 304 380 456 532 608 684 760 836 912 988

PRESSURE INLET/OUTLET PSIG (BARS)

120 (8,2)
100 (6,8)
80 (5,4)
60 (4,1)
40 (2,7)
20 (1,3)



TOTAL HEAD IN FEET (METERS)

276 (83,9)
230 (69,9)
184 (55,9)
138 (41,9)
92 (27,9)
46 (13,9)

DISCHARGE FLOW-U.S. Gals./Min.

0 20 40 60 80 100 120 140 160 180 200 220 240 260


PERFORMANCE CURVE (RUBBER)

DISCHARGE FLOW-Liters/Min.

0 76 152 228 304 380 456 532 608 684 760 836 912 988

PRESSURE INLET/OUTLET PSIG (BARS)

120 (8,2)
100 (6,8)
80 (5,4)
60 (4,1)
40 (2,7)
20 (1,3)



TOTAL HEAD IN FEET (METERS)

276 (83,9)
230 (69,9)
184 (55,9)
138 (41,9)
92 (27,9)
46 (13,9)

DISCHARGE FLOW-U.S. Gals./Min.

0 20 40 60 80 100 120 140 160 180 200 220 240 260


PERFORMANCE CURVE (TPE)

DISCHARGE FLOW-Liters/Min.

0 76 152 228 304 380 456 532 608 684 760 836 912 988

PRESSURE INLET/OUTLET PSIG (BARS)

120 (8,2)
100 (6,8)
80 (5,4)
60 (4,1)
40 (2,7)
20 (1,3)



TOTAL HEAD IN FEET (METERS)

276 (83,9)
230 (69,9)
184 (55,9)
138 (41,9)
92 (27,9)
46 (13,9)

DISCHARGE FLOW-U.S. Gals./Min.

0 20 40 60 80 100 120 140 160 180 200 220 240 260