





Blackmer[®] is the global leader in the design and manufacture of transfer, transloading and blending solutions for use in petroleum and chemical liquid-storage terminals. Blackmer Sliding Vane, Internal Gear and Centrifugal Pumps have been developed to be reliable and affordable solutions that meet or exceed the strict operational and safety demands of a modern Liquid Terminal facility.



When it comes to optimizing flow performance, reducing costs and increasing profitability, the world's most productive Liquid Terminal operations share a common demand – Better Get Blackmer.

Challenges of Liquid Terminals Applications

Blackmer pump technologies overcome a liquid terminal's unique operational challenges in the safest, most efficient and profitable way possible.

Handling common liquid-terminal commodities, and the large volumes in which they are stored and transferred, requires pump technologies that are able to deliver reliability, volumetric consistency, efficiency and energy savings when moving liquids into and out of tank farms, whether the mode of transportation is barge, tanker ship, pipeline, railcar or transport truck.

Cost Control

- Leak-free design options
- Designed for ease of maintenance
- Drop-in replacement options for many competitors pumps



Productivity

- Patented pump features
- High-quality construction
- Minimal maintenance



Plant Safety

- Leak-free design options
- Various seal options



Quality

- Positive displacement and centrifugal options for high level of operational consistency
- World class operations and testing facilities ensure pumps meet your exacting standards



Emissions Control

- Seal-less magnetic drive pumping options
- Mechanical seal options available for leakage detection and containment



Applications

- Crude Oil
- Gasolines
- Fuel Oil
- Lube Oils
- Ethanol
- Biodiesel
- · Processed Chemicals
- Bitumen, Asphalt
- Potassium Hydroxide (KOH)
- Anti-Gel Agents
- Soy, Palm and other Virgin Vegetable Oils
- Animal Fats
- Molasses
- Aromatic diisocyanates (MDI/TDI)

Blackmer Liquid Terminals Solutions

Delivering the widest range of capability for your fluid transfer needs

Whether you have a need for high suction lift, dry prime, or need to transfer challenging high viscosity fluids over long distance, Blackmer has a solution to meet your needs. Use the table below to find options that fit your pumping conditions.



HIGH TEMPERATURE (>350F)	HIGH VISCOSITY (> 5000 CP)	LOW VISCOSITY (< 5 CP)	MAGNETIC DRIVE (SEAL- LESS)	DRY RUN/ SELF PRIMING	HIGH SUCTION-LIFT CAPABILITY	LINE STRIPPING	ABRASIVES AND SOLIDS HANDLING	STAINLESS STEEL CONSTRUCTION
	•	•		•	•	•		
		•		•	•	•		•
		•		•	•	•		
		•		•	•	•		
		•	•	•	•	•	•	•
•	•			•*			•	•
•	•		•				•	•
	•			•*			•	•
	TEMPERATURE (>350F)	TEMPERATURE (>350F)	VISCOSITY (> 5000 CP)	TEMPERATURE (>350F) VISCOSITY (>5000 CP) DRIVE (SEAL-LESS) O O O O O O O O O O O O O O O O O O	TEMPERATURE (>350F) VISCOSITY (> 5000 CP) DRIVE (SEAL-LESS) DRY RUN/SELF PRIMING DRY RUN/SELF PRIMING	TEMPERATURE (>350F) VISCOSITY (> 5000 CP) DRIVE (SEAL-LESS) DRIVE (SEAL-LESS) DRIVE (SEAL-LESS) DRIVE (SEAL-LESS) DRIVE (SEAL-LESS) OF THE PRIMING SUCTION-LIFT CAPABILITY	TEMPERATURE (>350F) VISCOSITY (> 5000 CP) DRIVE (SEAL-LESS) DRY RUN/SELF PRIMING CAPABILITY LINE STRIPPING STRIPPING DRY RUN/SELF PRIMING CAPABILITY LINE STRIPPING STRIPPING TO THE SUCTION-LIFT CAPABILITY TO THE SUCTION-LIFT CAPABILITY TO THE SUCTION-LIFT CAPABILITY TO THE STRIPPING TO THE STRIPPING TO THE STRIPPING TO THE SUCTION-LIFT CAPABILITY TO THE STRIPPING TO THE STRIPPING TO THE STRIPPING TO THE SUCTION-LIFT CAPABILITY TO THE STRIPPING TO THE STRIPPING TO THE SUCTION-LIFT CAPABILITY TO THE STRIPPING TO THE STRIPP	TEMPERATURE (>350F) VISCOSITY (> 5000 CP) VISCOSITY (< 5 CP) DRIVE (SEAL-LESS) DRY RUN/ SELF PRIMING CAPABILITY STRIPPING HANDLING DRIVE (SEAL-LESS) DRY RUN/ SELF PRIMING CAPABILITY STRIPPING HANDLING ABRASIVES AND SOLIDS HANDLING ABRASIVES AND SOLIDS HANDLING ABRASIVES AND SOLIDS HANDLING ABRASIVES AND SOLIDS HANDLING

^{*} Consult factory



PSG Grand Rapids 1809 Century Avenue SW Grand Rapids, MI 49503-1530 USA P: +1 (616) 241-1611 info@blackmer.com psgdover.com/blackmer







Where Innovation Flows

ATK3000-01 06/23

Authorized PSG® Partner: Copyright 2023 PSG®, a Dover company