


TYPE	SIZE	UNIT STYLE
SGL	2	РО

DIMENSIONS 801-102									
Section Effective	801								
Effective	SEPTEMBER 2023								
Replaces	JUNE 2018								
Replaces Page 1 / 5									

RIGHT HAND ROTATION. FOR LEFT HAND ROTATION, SHAFT PROJECTION IS OPPOSITE THAT SHOWN.

\*TOLERANCE ± 1/8"

TOLERANCE ON OTHER DIMENSIONS ± 1/4"



				DIN	/IENSIC	NS					WEIGHTS		
UNITS	Α	В	С	D	E	F	G	Н	J	K	UNITS	PUMP ONLY	
IN	1 1/8	1/4	2 1/4	8	5 7/16	1 5/8	3 9/16	7/16	5	6 5/8	LBS	79	
MM	28,6	6,4	57,2	203,2	138,1	41,3	90,5	11,1	127	168,3	KG	36	
	L	М	Ν	Р	Q	R	S	Т	U	V		WITH NPT FLANGES	
IN	7/16	4	3 3/4	8 7/8	9 7/8		6 7/8	4 3/16	4 13/16	2 3/8	LBS	84	
MM	11,1	101,6	95,3	225,4	250,8		174,6	106,4	122,2	60,3	KG	38	
	W	Х	Y	Z	AA	ВВ	СС	DD	EE	FF		WITH WELD FLANGES	
IN	1 1/8	1 3/16	1 1/4	5/16	8 15/16			10 3/4			LBS	84	
MM	28,6	30,2	31,8	7,9	227			273			KG	38	
	GG	НН	JJ	KK	LL	MM						HYD DRIVE NO FLANGES	
IN											LBS	85	
MM											KG	39	




TYPE	SIZE	UNIT STYLE
SGL	2	SK571


DIMENSIONS 801-102						
Section	801					
DIMENSIONS 801-102  Section						
Replaces	NEW					
Page 2 / 5						

RIGHT HAND ROTATION SHOWN.

\*TOLERANCE ± 1/8"

TOLERANCE ON OTHER DIMENSIONS ± 1/4"





## "A" DIMENSION LESS MOTOR EYEBOLT

,, ,	A Billiand Lago monor and a second control and a se															
N	MOTOR		BASE		DIMENSIONS									APPROX. UNIT WT POUNDS		
FRAME SIZE	H.P.	RPM	NO.	Α	В	С	D	Е	E1	F	F1	G	Н	J	LESS MOTOR	INCL MOTOR
182T	3	1800	901457	12 7/8	48	15	42	11	2	23 1/2	6	2 11/16	3 3/4	7 7/16	350	440
184T	5	1800	901457	12 7/8	49	15	42	11	2	23 1/2	6	2 11/16	3 3/4	7 7/16	350	450
213T	7 1/2	1800	901459	13 5/8	51 1/8	18	46	14	2	24	8	4 1/4	4 1/4	7 7/8	400	550
215T	10	1800	901459	15 5/8	52 5/8	18	46	14	2	24	8	4 1/4	4 1/4	7 7/8	400	555
											-					
											-					




SGI	2	N15
TYPE	SIZE	STYLE


DIMENSIONS 801-102								
Section Effective Replaces	SEPTEMBER 2023							
Page 3 / 5	JUNE 2018							


RIGHT HAND ROTATION. FOR LEFT HAND ROTATION, SHAFT PROJECTION IS OPPOSITE THAT SHOWN. SGL2 WITH N15 GEARBOX OPTION SHOWN.

\*TOLERANCE ± 1/8"

TOLERANCE ON OTHER DIMENSIONS ± 1/4"







MOTOR SIZE	Ø <b>A</b> *	B*	D*
NEMA 180TC	1 1/8	1/4	17 1/4
NEMA 210TC	1 3/8	5/16	18
IEC 100/112 B5	28mm	8mm	21 5/16

				DIN	/IENSIC	NS					W	EIGHTS
UNITS	Α	В	С	D	Е	F	G	Н	J	K	UNITS	PUMP ONLY
IN					5 3/8	1 5/8	3 1/2	7/16	5	6 5/8	LBS	84
MM					136,5	41,3	88,9	11,1	127	168,3	KG	38
	L	М	Ν	Р	Q	R	S	Т	U	V		NPT FLANGES
IN	7/16	4	3 3/4	8 7/8	9 7/8		5 1/2	4 9/16	4 13/16	2 3/8	LBS	89
MM	11,1	101,6	85,7	225,4	250,8		139,7	115,9	122,2	60,3	KG	40
	W	Х	Υ	Z	AA	ВВ	СС	DD	EE	FF		WELD FLANGES
IN	1 1/8	1 3/16									LBS	89
MM	28,6	30,2									KG	40
	GG	НН	JJ	KK	LL	MM						ANSI FLANGES
IN											LBS	
MM											KG	



SGL	2	N15
TYPE	SIZE	UNIT STYLE

DIMENSIONS 801-102
Section 801


Effective SEPTEMBER 2023
Replaces JUNE 2018
Page 4 / 5


RIGHT HAND ROTATION SHOWN.

BENT STEEL BASEPLATE

\*TOLERANCE ± 1/8"

TOLERANCE ON OTHER DIMENSIONS ± 1/4"





## "A" DIMENSION LESS MOTOR EYEBOLT

,, ,	A SIMILATOR LEGG MOTOR LITERAL																		
M	OTO	٦	BASE		DIMENSIONS									APPROX. UNIT WT POUNDS					
FRAME SIZE	H.P.	RPM	NO.	Α	В	С	D	Е	F	G	Н	J	K	L	М	Р	Ø	LESS MOTOR	INCL MOTOR
182TC	3	1800	905611	13 7/8	36 1/8	13	10	1 1/2	12	2 3/4	6	30 1/2	3/16	1 3/4	5 1/2	12	7/16	191	363
184TC	5	1800	905611	13 7/8	38 1/8	13	10	1 1/2	12	2 3/4	6	30 1/2	3/16	1 3/4	5 1/2	12	7/16	191	365
213TC	7 1/2	1800	905612	15 1/8	40 1/8	13 1/2	10	1 3/4	12	4 1/4	6	32 1/4	3/16	2 1/4	5 15/16	12 7/16	7/16	201	437
215TC	10	1800	905612	15 1/8	43 1/8	13 1/2	10	1 3/4	12	4 1/4	6	32 1/4	3/16	2 1/4	5 15/16	12 7/16	7/16	201	475
																	I		
																	I		
																	- 1		



TYPE	SIZE	UNIT STYLI				

SGL | 2 | N15

DIMENSIONS 801-102


Section 801 Replaces Page 5 / 5

Effective | SEPTEMBER 2023 **JUNE 2018** 

RIGHT HAND ROTATION SHOWN.

BASETEK ® ANSI 139 OR 245 BASE

\*TOLERANCE ± 1/8"



## "A" DIMENSION LESS MOTOR EYEBOLT

M	OTOF	₹	BASE		D							IMENSIONS								
FRAME SIZE	H.P.	RPM	NO.	Α	В	С	D	Е	F	F1	G	Н	J	K	L	М	Р	Q	LESS MOTOR	INCL MOTOR
182TC	3	1800	905631	15 3/4	36 1/8	15	9	3	36 1/2	33	5 1/4	1 1/4	39	5/16	3 5/8	7 5/16	13 13/16	3/4	311	483
184TC	5	1800	905651	15 3/4	38 1/8	15	9	3	36 1/2	33	5 1/4	1 1/4	39	5/16	3 5/8	7 5/16	13 13/16	3/4	311	485
213TC	7 1/2	1800	905632	16 1/2	40 1/8	15	9	3	42 1/2	39	5 1/4	1 1/4	45	5/16	3 5/8	7 5/16	13 13/16	3/4	338	574
215TC	10	1800	905652	16 1/2	43 1/8	15	9	3	42 1/2	39	5 1/4	1 1/4	45	5/16	3 5/8	7 5/16	13 13/16	3/4	338	612
	-																			