





CHARACTERISTIC CURVES
Models: NP2.5, NPH2.5

Page Number	103-025
Effective	Oct 2015
Replaces	Oct 2001
Section	103


640 RPM




520 RPM



500 RPM



420 RPM




NOTE: Blackmer Characteristic Curves are based on Brake Horsepower (BHp). To determine Motor Horsepower, drive train inefficiencies must be added to the BHp.

Actual capacities are dependent upon the vapor pressure of the liquid and the inlet conditions of the system.


CHARACTERISTIC CURVES

Models: NP2.5, NPH2.5


400 RPM




350 RPM



330 RPM



300 RPM




NOTE: Blackmer Characteristic Curves are based on Brake Horsepower (BHp). To determine Motor Horsepower, drive train inefficiencies must be added to the BHp.

Actual capacities are dependent upon the vapor pressure of the liquid and the inlet conditions of the system.



CHARACTERISTIC CURVES

Models: NP2.5, NPH2.5



NOTE: Blackmer Characteristic Curves are based on Brake Horsepower (BHp). To determine Motor Horsepower, drive train inefficiencies must be added to the BHp.


Actual capacities are dependent upon the vapor pressure of the liquid and the inlet conditions of the system.




CHARACTERISTIC CURVES

Models: NP2.5, NPH2.5


125 RPM




100 RPM



84 RPM



68 RPM



NOTE: Blackmer Characteristic Curves are based on Brake Horsepower (BHp). To determine Motor Horsepower, drive train inefficiencies must be added to the BHp.

Actual capacities are dependent upon the vapor pressure of the liquid and the inlet conditions of the system.

